

---

# DOCUSATE SODIUM U.S.P.

---

in Polyethylene Glycol 400 N.F.

**(50%)**

## Typical Properties

---

Appearance	White to yellow, clear, viscous liquid, free from suspended solids.
Moisture (K.F. Method)	Not more than 1.0%
Assay (DSS)	48.5 to 51.5%
Heavy Metals as Pb	Not more than 10 ppm
Color (APHA)	Not more than 35
Specific Gravity @ 25/15.5%	1.11 to 1.15
Acid Number	1.0 Max.
Infrared Identity	Positive

---

Docusate Sodium USP was formerly known as Dioctyl Sodium Sulfosuccinate USP (DSS).

## IMPORTANT NOTICE

The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE. Nothing herein is to be taken as permission, inducement or recommendation to practice any patented invention without a license.

## TRADEMARK NOTICE

The ® indicates a Registered Trademark in the United States and the ™ or \* indicates a Trademark in the United States. The mark may also be registered, the subject of an application for registration or a trademark in other countries.

© 1989 Cytec Industries Inc. All Rights Reserved

---

**CYTEC**

## CYTEC INDUSTRIES INC.

Fine Chemicals  
Five Garret Mountain Plaza  
West Paterson, NJ 07424-3360  
973-357-3100  
800-253-4078  
<http://www.cytec.com>

FCT-201-A